




Connecting Strength

K2 Edge




QUICK GUIDE




Components

1 4000459



K2 Edge, Dark Plastic

2 4000458




K2 Edge, Kit

3 4000461



K2 Edge, Corner

4 4000460




K2 Edge, Connector


Tools Overview



Handsaw



Drill



Measuring Tape




13mm

Assembly




1a



- ! Installing Yeti Hidden End Clamps and cutting CrossRails flush with module frames will allow you to install the K2 Edge around all sides of an array.



1b

- ! Attach K2 Edge Brackets after modules are installed on the roof. Slide the clip of the K2 Edge Bracket onto the bottom flange of the module frame and tighten to 10 ft-lbs.






4a




Push the lever of the K2 Edge Bracket down, counter clockwise, to lock the K2 Edge in place.



4b




Continue locking the K2 Edge in place by pushing down all the K2 Edge Bracket levers.



5a




To connect 2 K2 Edge pieces, use the K2 Edge Connector. Slide the Edge Connector into the back of the K2 Edge between the T-bars until the tooth in the middle of the connector is touching the end of the T-bar.



5b




Install another K2 Edge piece into the Edge Brackets by repeating step 3. Before locking into place with levers, slide the K2 Edge piece up to the connector while installed in clamping channel of the brackets, align T-bars and slide onto the K2 Edge Connector until touching the middle tooth on the bottom of the connector. Finally repeat step 4 to lock the K2 Edge in place.




6

! Cut the K2 Edge with your preferred cutting tool. If installing the K2 Edge Corner piece to round the corner of the array and begin a new side of K2 Edge, you must leave the K2 Edge 2 inches long past the last module edge.



7


! Use the K2 Edge Corner at the start/end of the side you've just installed on to give a clean finished look, or to start a new side of K2 Edge. Align the Edge Corner piece with the end of the K2 Edge and push it on until it hits the inside wall and stops.



8




Continue installing the K2 Edge around all sides of the array by repeating steps 1-7, ensuring you keep the pattern of Edge Brackets no more than 8 inches away from both ends of the side you're installing on with brackets spanning no more than 24 inches across the module frames



9




DONE! Your array is protected.





Connecting Strength



K2 Systems, LLC

4665 North Ave. Suite I • Oceanside, CA 92056 •
USA +1.760.301.5300 • infous@k2-systems.com
www.k2-systems.com

K2 Edge, Kit Quick Guide V1 | 0323 • Subject to change
Product illustrations are exemplary and may differ from the original.