



OUR

HIGH-LIGHTS




Connecting Strength

Flat Roofs

GreenRoof 2.0

System optimized for faster installation on green roofs

- Reduced number of components
- Flexible module layout and orientation
 - 10° or 15° tilt
 - Portrait/landscape
 - A, V or S shape
- Freely adjustable row spacing
- Clamping on the long side, no module approval required



A-Shape (Portrait)



V-Shape (Portrait)



S-Shape (Portrait)





Dome 6

D-Dome 6.07 Classic Portrait

Portrait installation with 7° tilt


- SharedRail system reduces material usage and installation effort
- Larger ridge gap allows for easy maintenance and improved aerodynamics
- Enhanced rear ventilation thanks to increased clearance to the roof covering
- Long-side (LS) clamping fulfills the standard requirements of PV module manufacturers
- For all module sizes



D-Dome 6.10 Xpress LS

For higher load requirements, faster installation

- Faster installation thanks to pre-assembled components
- Landscape installation with a 10° tilt
- Long-side (LS) clamping fulfills the standard requirements of PV module manufacturers
- Suitable for PV modules with a width of 1134 mm and a length of up to 2500 mm
- Lightning current-carrying capacity with the new Dome 6 Xpress Connector




AVAILABLE
IN K2 BASE

Dome 6 Xpress Connector

Connecting Strength - better and faster!

- Simple snap-in design for tool-free installation
- Optimized component design
- Integrated equipotential bonding
- Meets advanced requirements with lightning current-carrying capability



ALWAYS UP TO DATE



All news at a
glance



ALWAYS UP TO DATE



All news at a glance

SingleRail 36/50 RailConnector

Optimized rail connector

- Simple snap-in mechanism for tool-free installation
- Integrated equipotential bonding




Tile Roofs

SingleHook FlatTile

A reliable solution for fixing to tiled roofs with plain tiles

- Flexible installation to suit different requirements thanks to the slotted hole
- Compact, sturdy design ensures secure and efficient fixing to the roof
- High-quality material for maximum durability
- K2 Hook & Flashing replace one tile – no more tile breakages

AVAILABLE
IN K2 BASE



SingleHook 3S Light

The light version of our popular SingleHook 3S

- Reduced material thickness
- Often no tile modification required
- Simpler and more flexible installation
- Suitable for regions with lower snow loads

AVAILABLE
IN K2 BASE




SingleHook Slate

Roof hook for slate roofing

- Now also compatible with the SingleRail System
- Greater flexibility due to height adjustability
- MCS-certification pending

AVAILABLE
IN K2 BASE




Metal Roofs




FlexAdapter

- New application area: metal roof tiles**
- Adapter for angle adjustment
 - Inserted in BasicRail
 - Sealing of the BasicClip with a CSM adapter made of EPDM




MultiRail High

- High version of MultiRail**
- For trapezoidal and corrugated sheet metal
 - Landscape installation
 - Greater clearance to roof covering thanks to 100 mm component height
 - Improved rear ventilation of the PV modules
 - Space for optimizers




MiniRail 60

- High version of MiniRail**
- For trapezoidal sheet metal
 - Portrait and landscape installation
 - Greater clearance to roof covering thanks to 60 mm component height
 - Improved rear ventilation of the PV modules
 - Space for optimizers



Dome 6 on MultiRail on trapezoidal sheet metal

- A secure connection with strong holding force ensures that the PV modules remain securely in place even under load
- The roof attachment and mounting rail are combined into a single component, reducing the number of individual parts required
- Efficient transport thanks to the compact, combined design, which saves space and reduces the effort required during transport
- Mounting the modules in line with the roof pitch



ALWAYS UP TO DATE



All news at a glance


Non-Roof



N-Rack Kits

A design-free kit solution for small ground-mounted PV systems

- Standardised Top Kits requiring no design work – speeds up planning and saves time on the project
- With four foundation options (gabions, concrete pads, ground screws or pile-driven foundations) – the right solution for almost any ground condition
- Installation using standard tools – no specialist equipment required
- Modular system reduces complexity, stockholding and installation time – for efficient and cost-effective implementation



Carport V

Flexible and scalable PV carports

- Support geometry enables smaller screw or concrete foundations
- Support spans of over 10 m possible
- Project-specific design
- Simple module installation with clamping from below
- Design with or without trapezoidal sheet metal
- Optional rainwater management




WallPV

Secure connection to various façade materials

- Concrete & Masonry with/without existing insulation: WallPV PerfoRail
- Trapezoidal and corrugated sheet metal: WallPV MultiRail

CrossConnector T and CrossConnector Clip

- Integrated equipotential bonding
- Faster installation
- Architecturally appealing design



ALWAYS UP TO DATE




All news at a glance

Making your work easier

OptiClip

Optimizer installation


- Tool-free installation
- Compatible with standard optimizers and microinverters



Alpha PV-Clip

Simple cable management

- One-handed installation on the module frame possible
- Clean cable routing, both vertically and horizontally



SingleRail 50 BlackCover/ EndCap

Alternative to black anodized mounting rails


- Quick coverage of visible rail ends with the BlackCover
- Secured with the EndCap



SoldiRail UltraLight BlackCover/ EndCap

Alternative to black anodized mounting rails

- Quick coverage of visible rail ends with the BlackCover
- Secured with the EndCap




K2 Digital Services



MyK2

The central cockpit for all K2 Digital Services: news, features, and services in one account



K2 Base

Intuitive PV planning with numerous interfaces to other industry tools



MyK2 Training

Modular e-learning on planning and installation: hands-on, available anytime, with Bronze, Silver, and Gold certifications



MyK2 Projects

New portal for ground-mounted and carport projects



K2 Kai

AI-assistant: available 24/7, now with more knowledge and language options

K2 Academy

- Get to know the K2 mounting solutions first-hand at our UK-based training academy - from hands-on assembly to fine tuning a design
- Speak to K2 experts on site, improve your skills and benefit from our tips of the trade

Send your request to:

training@k2-systems.uk.com



Highly sustainable



KEY FACTS

PERFORMANCE

> 40 GW ⚡

total output from installed K2 Systems

CLEAN ENERGY

126 GWh ☀️

per day are generated using K2 Systems
- the equivalent of 12 coal-fired power plants

REGIONAL VALUE CREATION

85 % 🇪🇺

of K2 products are produced in the EU

CO2 FOOTPRINT

4.5 t 🧑🏻‍🌾

for the aluminium used in K2 products –
lower than the global and European averages



Discover more about
K2's commitment:
2025 Sustainability Report